

Bulky Bags




Bags

Bulky Bags


Duffle Top (DT)

A Duffle Top is an extension of the bag itself and is folded down to make the top of the bag completely open.




Spout Top (ST)

A spout top is primarily when bags are being filled by a machine.




Flat/Closed Bottom (CB)

The flat bottom bag is exactly that, a closed bottom. It is completely shut off with no openings for product to escape at all.



Spout Bottom (SB)

The spout bottom has a spout on the bottom of the bag that, when being filled, is tied up to give the bag a smooth, flat bottom. The Spout is used to discharge the product from the bag by pulling open the spout and allowing the product to flow out. The spout can be used to only empty a portion of the bag (by tying it off) leaving the bag partly filled, or it can be used to slow the rate at which the bags empties.



SKU	DESCRIPTION*	CAPACITY	SIZE (cm)**
1102-00014	DT-CB	500kg	90 x 90 x 50
1102-00013	DT-CB	1.5T	90 x 90 x 120
1102-00064	DT-SB	1.2T	90 x 90 x 120
1102-00071	ST-SB	1.2T	90 x 90 x 120


**Duffle Top (DT), Spout Top (ST), Closed Bottom (CB), Spout Bottom (SB)*
***Other sizes available on request.*

All our manufacturers abide by the ETI code and are SWL rated.

Large Tag

These tags are built from sturdy and durable material. They are suitable for use in the field. These tags can be sequentially barcoded and numbered according to your desired configuration.

	SKU	DESCRIPTION	SIZE
A	1156-00001	Large Tag	121mm x 76mm
B	1156-00002	Locking Device	---
C	1156-00003	Tag Applicator	---




Bags

Bulk Bag Forklift/Crane Jib

The bulk bag jib is designed to safely handle and move bulk bags by both forklift and overhead crane.

- Versatile design allows easy transfer from forklift to crane and vice versa
- Fitted with four safety swivel hooks for securing the bulk bag straps at 800mm centres
- Allows for one handed connection and disconnection of straps
- Certified to relevant Australian Standards
- Zinc finish
- Pocket Size: 185 x 85mm
- Pocket Centres: 500mm
- Working Load Limit (WLL): 2000kg
- Unit Weight: 60kg
- Load Centre: 450mm
- Hook Centres: 800mm

SKU
1204-00302



- Clamshell Gate for maximum material flow and control.
- Bulk Bag Filling Frame.
- Spill Guard Suit.

SKU	DESCRIPTION
1102-00121	Bulk Bag Filling Frame
1102-00121-SPILL	Spill Guard Suit
1102-00121-CLAM	Clamshell Gate

Bulk Bag Filling Frame

This frame saves hours of labour and reduces risk of injury, it is designed to safely hook open a bulk bag and fill with free-flowing bulk products such as sand and gravel etc, removing the need for the operator to hold the bag open or manually fill themselves.

- Bulk bag can be held in position by either the bag retaining pin mounts allowing for easy removal by forklift or pallet jack, or the adjustable bag restraining chains allowing bag to be positioned at optimal height
- Three adjustable height settings allow optimal removal of filled bags to suit your operational requirements.
- Fork pockets fitted for easy transport around the worksite.
- Supplied with 4 safety swivel hooks and retaining pin mounts.
- Working Load Limit (WLL): 1000kg
- Load Centre: 900mm
- Dimensions: 1800 x 1150mm
- Adjustable Height Settings: 3
- Unit Height: 1700 - 2195mm
- Fork Pocket Size: 140 x 65mm
- Fork Pocket Centres: 850mm
- Unit Weight: 270kg
- Enamel paint finish





Perth Main Warehouse

66 Truganina Rd, Malaga,
Western Australia 6090
+61 (0) 8 9209 8500
perth@westernex.com.au

Kalgoorlie Warehouse

18 Kinclaven Way, Broadwood,
Kalgoorlie, Western Australia 6430
+61 (0) 8 9091 1152
kalgoorlie@westernex.com.au

Brisbane Warehouse

14 Hasp St, Seventeen Mile Rocks,
Queensland 4073
+61 (0) 7 3376 2422
brisbane@westernex.com.au

Mt Isa Warehouse

13 Ryan Rd, (Entry off Davis Rd)
Mt Isa, Queensland 4825
+61 (0) 7 4743 2122
mtisa@westernex.com.au

Orange Warehouse

72 Astill Drive, Orange,
NSW, 2800
+61 (0) 447 112 749
ben@westernex.com.au

westernex.com.au

