

Welding




Welding

Tip Cleaner Set

Housed in a sturdy aluminium case, these abrasive wires remove carbon build up and loose slag from nozzles and tips to prolong cutting tip life. The long tip cleaner is suitable for 3 seat tips.

SKU
1211-01086



Torch Handle

Standard torch handle is designed to fit either a cutting attachment or a mixer with a brazing tip to perform cutting or welding applications with oxygen and fuel gas.



SKU
1211-01099

Type 41 Acetylene Cutting Tip

Two seated cutting tip suitable for use with cutting attachment.

SKU	SIZE	PLATE THICKNESS
1211-01095	8	5-10mm
1211-01096	12	10-20mm
1211-01097	15	20-50mm



Flint Lighter

Metal cup type with replaceable flint. Ensures quick, easy lighting up.

SKU
1211-01088



Type 41 Oxygen/Acetylene Bent Gouging Tip

SKU
1211-01103



Two seated gouging tip suitable for use with cutting attachment.

Cutting Attachment

Designed to preheat and cut with Oxygen and fuel gases.



SKU
1211-01100

Work Clamp

Spring loaded jaws. All brass construction, 500 amp.

SKU	HEIGHT	DEPTH
1211-01089	80mm	80mm



Welding

16TC Electrode

- Unique twin coated low hydrogen all positional (except vertical down) electrode that sets the standard
- Applications include carbon steel/high tensile steels, hard to weld and steels of unknown composition.
- Very fluid slag action with the glassy slag easily removed from weld metal.
- A great all rounder electrode with exceptional arc stability
- X-ray quality.
- Suitable for 'buttering layers'/build-up welding repairs
- High strength welds on agricultural steels, grouser bars and stick rakes.
- Ideal for maintenance and repairs of all structural steel, stock grates (railway iron) and stock fencing.
- Earth moving equipment and agricultural implements.



SKU	SIZE	UOM
1211-01031	2.5mm	2.5kg Packet
1211-01032	3.2mm	5.0kg Packet
1211-01033	4.0mm	5.0kg Packet

Acetylene Gas Regulator

Single stage regulators offer precise delivery of industrial gases. Quality gas regulators combine safety and rugged design. Twin gauge models show bottle contents and outlet pressure.



SKU
1211-01104

Oxygen Gas Regulator

Oxygen regulators offer precise and accurate flow control. Quality gas regulators combine safety and rugged design. Twin gauge models show bottle contents and outlet pressure.



SKU
1211-01105

Type 551 Oxygen/Acetylene Welding Tip

Swaged brazing and welding tips, made from copper, will fit onto industry standard 10mm gas mixer.

SKU	SIZE
1211-01098	12





Perth Main Warehouse

66 Truganina Rd, Malaga,
Western Australia 6090
+61 (0) 8 9209 8500
perth@westernex.com.au

Kalgoorlie Warehouse

18 Kinclaven Way, Broadwood,
Kalgoorlie, Western Australia 6430
+61 (0) 8 9091 1152
kalgoorlie@westernex.com.au

Brisbane Warehouse

14 Hasp St, Seventeen Mile Rocks,
Queensland 4073
+61 (0) 7 3376 2422
brisbane@westernex.com.au

Mt Isa Warehouse

13 Ryan Rd, (Entry off Davis Rd)
Mt Isa, Queensland 4825
+61 (0)7 4743 2122
mtisa@westernex.com.au

Orange Warehouse

72 Astill Drive, Orange,
NSW, 2800
+61 (0) 7 3376 2422
brisbane@westernex.com.au

